

IMPORTANT: For each problem (LO1,LO2,GK,Advanced, All LO Makeups) write your solution using a **SINGLE** and **SEPARATE SHEET OF PAPER (FRONT AND BACK)**. Write your **FIRST NAME, ALPHABETIZING NAME** and **PROBLEM NUMBER** on each sheet.

25 Points Each

- LO1** a. Use the Master Theorem to determine the growth of $T(n)$ if it satisfies the recurrence $T(n) = 27T(n/3) + 500n^3 \log^2 n + n^2$. Defend your answer. (10 pts)
- b. Use the Substitution method to establish that, if $T(n) = 3T(n/3) + T(n/2) + n^2$, then $T(n) = O(n^2)$. (15 pts)
- LO2** a. Consider Karatsuba's algorithm for multiplying two n -bit binary numbers x and y , where we assume that n is even. Let x_L and x_R be the leftmost $n/2$ and rightmost $n/2$ bits of x respectively. Define y_L and y_R similarly. Let P_1 be the result of calling `multiply` on inputs x_L and y_L , P_2 be the result of calling `multiply` on inputs x_R and y_R , and P_3 the result of calling `multiply` on inputs $x_L + x_R$ and $y_L + y_R$. Then return the value $P_1 \times 2^n + (P_3 - P_1 - P_2) \times 2^{n/2} + P_2$. Demonstrate Karatsuba's algorithm on $x = 34$ and $y = 41$, where both number are assumed to require six bits. Limit your demonstration to the root level of recursion. In other words, do not go deeper than level 0. (12 pts)
- b. For the **Minimum Positive Subsequence Sum** problem answer the following questions.
- (a) Describe the "divide" part of the algorithm. What are the subproblems that are recursively solved? (4 pts)
- (b) Describe all the steps that must be taken in the "combine" portion of the algorithm, including how the subproblem solutions are utilized and the big-O number of total steps $f(n)$ that are required by the combine portion. Please keep your description as general as possible and *do not* work through an example. (9 pts)
- GK** a. Using just a few sentences, why is the Master Theorem by itself insufficient for determining the big-O number of steps that is needed to execute any arbitrary divide-and-conquer algorithm? (10 pts)
- b. For a uniform divide-and-conquer recurrence, what do the a , b , and $f(n)$ represent assuming that $T(n)$ is describing the number of steps that are needed to execute some divide-and-conquer algorithm? (15 pts)
- ADV** Solve the recurrence $T(n) = 4T(\sqrt{n}) + \log^2 n \log(\log n)$. Hint: Let $S(k) = T(2^k)$ and use this identity to provide a recurrence for $S(k)$. (25 pts)